



SAFETY DATA SHEET

Trade name: Graphene Lubricant Additive

Revised October, 2021 GP 2.0.c

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product Name Graphene Lubricant Additive
Product Code C-SI02

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product Additive provides lubrication and protection of wearing surfaces between devices. Meanwhile, it significantly decreases the coefficient of friction.

1.3 Details of the supplier of the safety data sheet

Manufacturer/ Supplier Enerage Inc.
Address No.5, Ligong 3rd Rd., Wujie Township, Yilan County 26841, Taiwan, R.O.C.
Phone number 886-3-990-2100
Fax 886-3-990-2500

1.4 Emergency phone number 886-3-990-2100

2. Hazards identification

GHS classification and label elements of the product

2.1 Classification of the substance or mixture

Physical and Chemical hazards Not classified
Health hazards Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Category 2, 3

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram



Signal word Warning
Hazard statements H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
Prevention P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements none

According to European Directive 67/548/EEC as amended.



SAFETY DATA SHEET

Trade name: Graphene Lubricant Additive

Revised October, 2021 GP 2.0.c

Hazard symbol(s)



R-phrase(s)

R36/37/38

Irritating to eyes, respiratory system and skin.

S-phrase(s)

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36

Wear suitable protective clothing.

2.3 Other hazards

none

3. Composition/information on ingredients

<u>Chemical name</u>	<u>CAS No.</u>	<u>Content (wt%)</u>
Hexadecyltrimethoxysilane (HDTMS)	16415-12-6	>97
Graphene	1034343-98-0	~2

4. First-aid measures

4.1 Descriptions of first-aid measures

General measures

In the case of prolonged irritation or other adverse effects, contact a doctor.

IF ON SKIN (or hair)

Wash with soap and water.

If skin irritation occurs, get medical advice/ attention.

Contaminated clothing should be removed and washed thoroughly before re-use.

IF INHALED

Remove from exposure to fresh air and call a poison center/ doctor to get medical advice/ attention.

If breathing is difficult, administer oxygen.

If breathing has stopped, begin artificial respiration immediately, and seek medical attention.

IF IN EYES

Flush eyes with water for at least 15 minutes.

If easy to do, remove contact lens.

Get medical attention

IF SWALLOWED

Rinse mouth with water and consult a physician.

Never give anything to an unconscious person.

4.2 Most important symptoms/ effects, acute and delayed

Symptoms

May cause irritation to skin, eyes and respiratory tract.

Hazards

No information about adverse effects due to exposure



SAFETY DATA SHEET

Trade name: Graphene Lubricant Additive

Revised October, 2021 GP 2.0.c

Recommendation for storage Store in a dry and well-ventilated place and keep cool.
Keep container tightly closed
Store locked up.
Graphene is electrically conductive. Avoid accumulations of graphene in places where these accumulations could cause shorting of electrical switches, circuits or components since any dust can form a potentially explosive mixture in air.

8. Exposure controls/personal protection

8.1 Control parameters Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Personal protective Equipment

Eye/face protection Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Immersion protection

Material: Nitrile rubber
Minimum layer thickness: 0,11 mm
Break through time: > 480 min
Material tested: Dermatril® (Aldrich Z677272, Size M)

Splash protection

Material: Nitrile rubber
Minimum layer thickness: 0,11 mm
Break through time: > 30 min
Material tested: Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific



SAFETY DATA SHEET

Trade name: Graphene Lubricant Additive

Revised October, 2021 GP 2.0.c

situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

impervious clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	Liquid	
Color	Black	
Odor	No data available	
Odor threshold	No data available	
pH	No data available	
Melting point	Hexadecyltrimethoxysilane: -1 °C Graphene: >3600°C	
Initial boiling point	180 °C @ 100hPa	
Flash point	Hexadecyltrimethoxysilane: 165 °C	Closed cup
Auto-ignition temperature	Graphene: dispersed dust cloud: >600°C	
Flammability (solid, gas)	No data available	
Flammable limit	No data available	
Evaporation rate	No data available	
Vapor density	No data available	
Vapor pressure	1.11hPa @22°C	
Decomposition temperature	No data available	
Density	0.8866 @ 20°C (water = 1)	
Solubility in water	Graphene: Insoluble	
Solubility (other)	No data available	
Partition coefficient (n-Octanol/water)	No data available	

10. Stability and Reactivity

10.1 Reactivity

Stable under recommended storage conditions.



SAFETY DATA SHEET

Trade name: Graphene Lubricant Additive

Revised October, 2021 GP 2.0.c

10.2 Chemical stability	No decomposition if stored and applied as directed.
10.3 Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid	Avoid heat, flames and other sources of ignition.
10.5 Incompatible materials	Strong oxidizing agents, Alkali metals, Strong acids, Nitrates.
10.6 Hazardous decomposition products	Mainly carbon oxides occur under high temperature/fire conditions.

11. TOXICOLOGICAL INFORMATION

11.1 Information on the likely routes of exposure

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Ingestion	May be harmful if swallowed.
Skin contact	May be harmful if absorbed through skin. Causes skin irritation.
Eye contact	Causes serious eye irritation.

11.2 Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	No data available.
Ingestion	No data available.
Skin contact	No data available.
Eye contact	No data available.

11.3 Information on toxicological effects

Acute toxicity	No data available.
Skin Corrosion/Irritation	No data available.
Serious Eye Damage/Eye Irritation	No data available.
Respiratory or skin sensitization	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	No data available.

IARC: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity No data available.

Specific target organ toxicity

Single exposure	Inhalation - May cause respiratory irritation.
Repeated exposure	No data available.
Aspiration hazard	No data available.
Other effects	No data available.

12. Ecological Information



SAFETY DATA SHEET

Trade name: Graphene Lubricant Additive

Revised October, 2021 GP 2.0.c

- 12.1 Ecotoxicity No data available.
- 12.2 Persistence and degradability No data available.
- 12.3 Bioaccumulative potential No data available.
- 12.4 Mobility in soil No data available.
- 12.5 Results of PBT and vPvB assessment No data available.
- 12.6 Other adverse effects No data available.

13. Disposal considerations

- 13.1 Waste treatment methods Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
- 13.2 Contaminated packaging Dispose of as unused product.

14. Transport Information

This material is not defined under US DOT, IMDG, GGVSee, or ICAO/IATA regulations as a hazardous substance.

- Transport Hazard Category None
- Packing Category None
- Marine Pollutants (Yes/No) No

15. Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
No data available.
- 15.2 Chemical Safety Assessment
No data available.

16. Other Information

Hazard Ratings

	<u>Health</u>	<u>Flammability</u>	<u>Physical Hazard/ Instability</u>
HMIS	2	0	0
NFPA	2	0	0

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Date of the latest revision 2021/04/13

DISCLAIMER:

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Information contained in this Safety Data Sheet is to the best of our knowledge and believed to be reliable but no representation, guarantee or warranties of any kind are made as to its accuracy, suitability for a particular application etc. It is up to the user/distributor to ensure that the information contained in the material safety data sheet is relevant



SAFETY DATA SHEET

Trade name: Graphene Lubricant Additive

Revised October, 2021 GP 2.0.c

to the product manufactured or sold as the case may be. Enerage Inc. makes no warranties, expressed or implied, in respect of the adequacy of this document for any particular purpose.



Graphage